

SGS

Catalog #12

May 2018

1020 Puyallup Avenue
Tacoma, WA 98421

sales (toll free)	(877) 747-2888
office/voice mail	(253) 830-3310
fax	(253) 830-3342
e-mail	sales@sgshardware.com
office hours	6:30am-4:30pm PST

visit our website :
www.sgshardware.com

SGS Hardware Catalog #12 is effective as of May 2018.

Errors and omissions are subject to correction.
All dimensions shown in the catalog are nominal and affected by tolerances.
Product information shown is based on current information and is subject to change at any time.

Welcome to SGS Hardware, the door hardware industry's customer service leader. In an age of impersonal computerized service, we take pride in nurturing relationships -- person to person. We're known for filling orders fast and accurately. On those rare occasions we get it wrong, an SGS team member will promptly work to make things right.

If you have questions, problems or are looking for hard-to-find items, pick up the phone and call us. You'll be connected with a helpful and friendly human being who will be glad to help. If you prefer just the facts without risking a warm and fuzzy relationship, email sales@sgshardware.com or send a fax to **253-830-3342**.

Orders for in-stock merchandise received in our offices by noon local warehouse time will be shipped that same day. If your order is received later in the day, we will still try to get it out that day, time permitting.

If you want a hinge or door hardware that is not in this catalog, please give us a call. In addition to our SGS brand products, we can source double-acting spring hinges, pivots, bypass and bifold kits, and other product from many other manufacturers.

Once again, welcome to SGS Hardware, where Superior Goods and Service are more than a motto. It's our name.

Hinge Warranty

SGS Hardware designs, manufactures and tests our hinges to meet industry standards.

Industry standards are listed in the following publications;

Performance testing is outlined in ANSI/BHMA A156.1-2006.

Dimensional data is outlined in ANSI/BHMA A156.7-2003.

Materials and finishes are listed in ANSI/BHMA A156.18-2006.

Wood screws are listed in ANSI B158.6.1 - 1981 (R1997).

SGS hinges are warranted to be free of defects in both workmanship and materials. SGS's liability under all warranties, express or implied, shall be limited to replacement of defective goods. The defective goods must be returned to our nearest warehouse, with freight charges prepaid. Any bending, defacing or modification of a hinge after leaving our warehouse will void the warranty.

This warranty is valid only if the hinges are specified, applied and adjusted in accordance to industry standards, and on frames and doors that are plumb and square. Care should be taken when cleaning hinges as certain solvents and chemicals may affect the lacquer finishes.

Exceptions to any of the previous stipulations are only with permission of the management of SGS.

This warranty is good for life of the opening under normal use.

Dated May 1, 2018

Purchase Terms & Conditions

Pricing: Prices and terms are subject to change without notice. Orders are accepted on the basis they will be invoiced at the price in effect as of the date the order is received at our offices.

Freight Policy: Prepaid freight is available on some orders within the continental United States. Prepaid freight terms are based on SGS customers' locations. If you have questions regarding your terms, please call customer service. If you'd like to drop-ship to a location other than your warehouse, please check with customer service to determine whether the destination is eligible for prepaid freight. Carrier selection for prepaid orders will be made by SGS. **Special order items are excluded from prepaid freight.**

Claims: In the event merchandise arrives in damaged condition, or if your order appears to be incorrect, do not refuse the shipment. Note on the carrier's paperwork next to your receiving signature that you have received damaged boxes. Then immediately notify our office and we will work with you to resolve the matter. To be considered valid, claims for short shipment or damaged goods must be made to SGS within 10 days of receipt by you.

Returns: All merchandise returns must have prior approval from SGS and a Return Merchandise Authorization (RMA) number to receive proper credit. When requesting an RMA, you must provide the corresponding invoice number. Merchandise approved for return must be shipped to us promptly. RMAs expire 30 days from date of issue. All merchandise returned is subject to inspection.

RMA's are not credit memos: A credit memo will be issued after returned goods have been received and inspected by our warehouse. Credit will be issued only for merchandise returned in good, sellable condition along with corresponding invoice referenced. Please do not short pay invoices without first making arrangements with our credit department. Invoices not fully paid will be considered unpaid.

A 35% restock charge applies to returns, unless the return is due to an error on our part.

Backorder Policy: At SGS it is our policy to do everything possible to avoid backorders. However, when they are necessary, our standard policy is that items not shipped with your original order will automatically be backordered and shipped when stock is available, unless you instruct us otherwise.

Delivery: We cannot guarantee delivery dates. SGS will not be responsible for loss, damage or delays caused by fire, flood, strikes, lockouts, riots, or acts of war; by accidents suffered by SGS or our suppliers; by delays of transportation carriers; or by any other causes whatsoever beyond our control.

SGS CROSS REFERENCE GUIDE

SGS HAGER STANLEY BOMMER

Residential Hinges

100	1741	741	n/a
114	RC1741	RD741	n/a
158	RC1842	RD758	n/a
1058	RC1847	n/a	n/a
5810	RC1847	n/a	n/a
BB100	BB1741	n/a	n/a
BB114	RCBB1741	n/a	n/a
BB158	RCBB1842	n/a	n/a

314	RC1541	RD747	n/a
358	RC1542	RD757	n/a

Residential Spring Hinges

514	1751	RD2060R	LB4311
558	1752	RD2068R	LB4312
588	1754	CGRD20	LB4361

Commercial Hinges

1000	1279	F179	5000
1014C	RC1279	RDF179	5070
BB1000	BB1279	FBB179	BB5000
BB1014	RCBB1279	RDFBB179	BB5070
BB1058	RCBB1279x5/8	RDFBB179x5/8	BB5080
3000	1191	F191	5002
BB3000	BB1191	FBB191	BB5002

Commercial Spring Hinges

5000	1250	2060R	4310
5014	1251	RD2060R	4311

Finishes


SGS	BHMA	STANLEY	BOMMER	HAGER	DESCRIPTION
US1D	601	1D	601	L1	black
US2D	604	ST4C	604	US2D	zinc dichromate
US3	605/632	US3	632	US3	polished brass
US3-4	n/a	ST4BB	n/a	3LB	bright brass
US4	606/633	US4	633	US4	satin brass
US5	609/638	F8	638	US5	antique brass
US10	612/639	US10	639	US10	satin bronze
US10A	641	US10A	643	US10A/ ABZ	antique bronze
US10B	613/640	US10B	n/a	US10B	oil rubbed bronze
US10BL	n/a	n/a	n/a	10R	oil rubbed bronze -without oil
US15	619/646	US15	646	US15	satin nickel
US15A	620/647	US15A	647	US15A	antique nickel
US26	625/651	US26	651	US26	polished chrome
US26D	626/652	US26D	652	US26D	brushed chrome
US32D	630	US32D	630	US32D	brushed stainless steel
PCW	600	PCW	600	USP	prime coat white

Finish Care

Finishes treated with protective coatings will quickly deteriorate if the surface is broken. To prolong the life and maintain the original beauty of the finish it is important to avoid the use of paint removing solvents, acids or other strong caustic cleaning solutions. Before painting doors, frames, and woodwork, all hardware items should be removed. Hardware for new installations should not be installed until after the final coat of paint has been applied and allowed to dry.

The 10B finish on steel-based products is not recommended for outdoor and other uses that would expose it to the elements.

100 residential weight hinge



square corner
3.5" x 3.5" pictured

- steel base metal
- square corners
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging


- screws - see note below

size	available finishes	case qty	case weights
3.5 x 3.5	10BL	100 ea	41 lbs
	US15		
4.0 x 4.0	10BL	100 ea	58 lbs
	US15		

to order this item:

- start with the item number (100)
 - add the size (eg 3.5)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is 100 3.5 15**

114 residential weight hinge



1/4" radius corner
4.0" x 4.0" pictured

- steel base metal
- 1/4" radius corners
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

size	available finishes	case qty	case weights
3.5 x 3.5	US1D	100 ea	41 lbs
	US3, US3-4		
	US4, US5		
	10BL		
	US15		
	US15A, US26		
	US26D		
4.0 x 4.0	US1D	100 ea	58 lbs
	US3, US3-4		
	US4, US5		
	10BL		
	US15		
	US26		
	US26D		

to order this item:

- start with the item number (114)
 - add the size (eg 4.0)
 - add the finish code (eg. 26D brushed chrome)
- complete part # is 114 4.0 26D**

Screws:

- 3.5" hinges - 600 ea. 3/4" x #9 screws included in carton
- 4.0" hinges - 800 ea. 3/4" x #9 screws included in carton


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$.50/hinge, after discount.

- to order, add NRP to part # (eg. 114 4.0 26D NRP)

v 12.0 2018

158 residential weight hinge



5/8" radius corner
4.0" x 4.0" pictured

- steel base metal
- 5/8" radius corners
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

size	available finishes	case qty	case weights
3.5 x 3.5	US1D, US2D	100 ea	41 lbs
	US3, US3-4		
	US4, US5		
	10BL		
	OWB, US15		
	US15A, US26		
	US26D, PCW		
4.0 x 4.0	US1D, US2D	100 ea	58 lbs
	US3, US3-4		
	US4, US5		
	10BL		
	OWB, US15		
	US15A, US26		
	US26D, PCW		

to order this item:

- start with the item number (158)
- add the size (eg 3.5)
- add the finish code (eg. 15 for satin nickel)

complete part # is 158 3.5 15

Screws:

- 3.5" hinges - 600 ea. 3/4" x #9 screws included in carton
- 4.0" hinges - 800 ea. 3/4" x #9 screws included in carton


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$.50/hinge, after discount.

- to order, add NRP to part # (eg. 158 4.0 26D **NRP**)

v 12.0 2018

BB100 residential weight ball bearing hinge



square corner
4.0" x 4.0" pictured

- steel base metal
- square corner corners
- ball bearing, five knuckle
- non-rising removable cap-style pin
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging


- screws - see note below

size	available finishes	case qty	case weights
4.0 x 4.0	10BL	100 ea	58 lbs
	US15		

to order this item:

- start with the item number (BB100)
 - add the size (eg 4.0)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is BB100 4.0 15**

BB114 residential weight ball bearing hinge



1/4" radius corner
4.0" x 4.0" pictured

- steel base metal
- 1/4" radius corners
- ball bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

size	available finishes	case qty	case weights
3.5 x 3.5	10BL	100 ea	41 lbs
	US15		
4.0 x 4.0	10BL	100 ea	58 lbs
	US15		

to order this item:

- start with the item number (BB114)
 - add the size (eg 4.0)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is BB114 4.0 15**

Screws:


3.5" hinges - 600 ea. 3/4" x #9 screws included in carton
4.0" hinges - 800 ea. 3/4" x #9 screws included in carton

Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$.50/hinge, after discount.

- to order, add NRP to part # (eg. BB100 4.0 15 **NRP**)
- v 12.0 2018

BB158 residential weight ball bearing hinge



5/8" radius corner
4.0" x 4.0" pictured

- steel base metal
- 5/8" radius corners
- ball bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

size	available finishes	case qty	case weights
3.5 x 3.5	10BL	100 ea	41 lbs
	OWB		
	US15		
4.0 x 4.0	10BL	100 ea	58 lbs
	OWB		
	US15		

to order this item:

- start with the item number (BB158)
 - add the size (eg 4.0)
 - add the finish code (eg, 15 satin nickel)
- complete part # is BB158 4.0 15**

Screws:

3.5" hinges - 600 ea. 3/4" x #9 screws included in carton
4.0" hinges - 800 ea. 3/4" x #9 screws included in carton


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$.50/hinge, after discount.

- to order, add NRP to part # (eg. BB158 4.0 10BL **NRP**)

v 12.0 2018

1058 residential weight hinge



square corner x 5/8" radius

- steel base metal
- square corner x 5/8" radius
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging


- screws - see note below

size	available finishes	case qty	case weights
4.0 x 4.0	US2D	100 ea	58 lbs
	US3-4, 10BL		
	US15, US26D		

to order this item:

- start with the item number (1058)
- add the size (eg 4.0)
- add the finish code (eg. 15 for satin nicke-
complete part # is 1058 4.0 15

5810 residential weight hinge



5/8" radius x square corner

- steel base metal
- 5/8" radius x square corner
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

size	available finishes	case qty	case weights
4.0 x 4.0	US2D	100 ea	58 lbs
	US3-4, 10BL		
	US15, US26D		

to order this item:

- start with the item number (5810)
- add the size (eg 4.0)
- add the finish code (eg. 26D brushed
chrome)
complete part # is 5810 4.0 26D

Screws:

4.0" hinges - 800 ea. 3/4" x #9 screws included in carton


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$.50/hinge, after discount.

- to order, add NRP to part # (eg. 1058 4.0 26D **NRP**)

v 12.0 2018

1058T residential weight hinge - therma tru hole with positioning tab



sq corner x 5/8" radius

size	available finishes	case qty	case weights
4.0 x 4.0	10BL	100 ea	58 lbs
	US15		

to order this item:

- start with the item number (1058T)
 - add the size (eg 4.0)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is 1058T 4.0 15**


- steel base metal
- square corner x 5/8" radius
- plain bearing, five knuckle
- non-rising removable cap-style pin
- material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

5810T residential weight hinge - therma tru hole pattern with positioning tab



5/8" radius x square corner

size	available finishes	case qty	case weights
4.0 x 4.0	10BL	100 ea	58 lbs
	US15		

to order this item:

- start with the item number (5810T)
 - add the size (eg 4.0)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is 5810T 4.0 15**

- steel base metal
- 5/8" radius x square corner
- plain bearing, five knuckle
- non-rising removable cap-style pin
- material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

Screws:

4.0" hinges - 800 ea. 3/4" x #9 screws included in carton


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$.50/hinge, after discount.

- to order, add NRP to part # (eg. 1058T 4.0 10BL **NRP**)

v 12.0 2018

300 residential weight hinge - stainless steel



square corner
4.0" x 4.0" pictured

- .304 grade stainless steel
- square corner corners
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below


size	available finishes	case qty	case weights
3.5 x 3.5	US32D	100 ea	41 lbs
4.0 x 4.0	US32D	100 ea	58 lbs

to order this item:

- start with the item number (300)
- add the size (eg 4.0)
- add the finish code (eg. 32D brushed stainless)

complete part # is 300 4.0 32D

314 residential weight hinge - stainless steel



1/4" radius corner
4.0" x 4.0" pictured

- .304 grade stainless steel
- 1/4" radius corners
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

packaging

- screws - see note below

size	available finishes	case qty	case weights
3.5 x 3.5	10BL	100 ea	41 lbs
	US32D		
4.0 x 4.0	10BL	100 ea	58 lbs
	US32D		

to order this item:

- start with the item number (314)
- add the size (eg 4.0)
- add the finish code (eg. 32D brushed stainless)

complete part # is 314 4.0 32D

Screws:

3.5" hinges - 600 ea. 3/4" x #9 screws included in carton
4.0" hinges - 800 ea. 1" x #9 screws included in carton


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$2.00/hinge, after discount

- to order, add NRP to part # (eg. 314 4.0 32D **NRP**)

v 12.0 2018

358 residential weight hinge - stainless steel



5/8" radius corner
3.5" x 3.5" pictured

- .304 grade stainless steel
- 5/8" radius corner on all corners
- plain bearing, five knuckle
- non-rising removable cap-style pin
- 3.5" material gauge = .087" (2.2 mm)
- 4.0" material gauge = .099" (2.5 mm)

For use on light to medium weight residential doors in low frequency applications

size	available finishes	case qty	case weights
3.5 x 3.5	US3	100 ea	41 lbs
	10BL		
	US15		
	US32D		
4.0 x 4.0	US3	100 ea	58 lbs
	10BL		
	US15		
	US32D		

to order this item

- start with the item number (358)
- add the size (eg 4.0)
- add the finish code (eg. 3 polished brass)

complete part # is 358 4.0 3

packaging

- screws - see note below

Screws:

3.5" hinges - 600 ea. 3/4" x #9 screws included in carton
4.0" hinges - 800 ea. 1" x #9 screws included in carton


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$2.00/hinge, after discount

- to order, add NRP to part # (eg. 358 4.0 32D **NRP**)

v 12.0 2018

158 BLANK residential weight



5/8 radius corners
fits 3-1/2"


size	available finishes	case qty	case weights
3.5"	10BL	400 ea	35 lbs
	US15, US26		

to order this item:

- start with the item number (158)
 - add the size (eg 3.5)
 - add the finish code (eg. 15 for satin) nickel
- complete part # is 158 3.5 15 BLANK**

- steel base metal
- 5/8" radius corners
- 1.145 inches in width. & are counter sunk for #9 head screws
- material gauge = .087" (2.2 mm)

514 residential weight spring hinge



1/4" radius corner
4.0" x 4.0" pictured

size	available finishes	case qty	case weights
4.0 x 4.0	US3-4	50 ea	45 lbs
	10BL		
	US15		
	US26		
	US26D		

to order this item:

- start with the item number (514)
- add the size (eg 4.0)
- add the finish code (eg. 26D brushed chrome)


complete part # is 514 4.0 26D

- **UL Listed**
- 1/4" radius on all corners
- adjustable tension
- three knuckle
- steel base metal
- 4.0" material gauge = .106" (2.8mm)

For automatic closing of door. Light weight for residential use.

- packaging** - one per box
- screws and misc parts - see note below

558 residential weight spring hinge



5/8" radius corner
4.0" x 4.0" pictured

size	available finishes	case qty	case weights
4.0 x 4.0	US2D	50 ea	45 lbs
	US3-4		
	US4		
	10BL		
	OWB		
	US15		
	US26		
	US26D		

to order this item:

- start with the item number (558)
 - add the size (eg 3.5)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is 558 4.0 15**

- **UL Listed**
- 5/8" radius corners
- adjustable tension
- three knuckle
- steel base metal
- 4.0" material gauge = .106" (2.8mm)

For automatic closing of door. Light weight for residential use.

- packaging** - one per box
- screws and misc parts - see note below

Screws and parts:


- 8 ea. 1" wood screws
- 8 ea. 1/2" machine screws
- 1 ea. hex key
- 2 ea. tension stop pins

Need a size or finish not shown in catalog?

Call 877-747-2888 to special order

v 12.0 2018

588 4.0 15 residential weight spring hinge



square corner x 5/8" radius
4.0" x 4.0" pictured

size	available finishes	case qty	case weights
4.0 x 4.0	US15	50 ea	45 lbs

to order this item:

- start with the item number (588)
- add the size (eg 4.0)
- add the finish code (eg. 15 for satin nickel)

complete part # is 588 4.0 15

- **UL Listed**
- square corner x 5/8" radius
- adjustable tension
- three knuckle
- steel base metal
- material gauge = .106" (2.8mm)

For automatic closing of door. Light weight for residential use.

- packaging** - one per box
- screws and misc parts - see note below

Screws and parts:


- 8 ea. 1" wood screws
- 8 ea. 1/2" machine screws
- 1 ea. hex key
- 2 ea. tension stop pins

Need a size or finish not shown in catalog?

Call 877-747-2888 to special order

v 12.0 2018

5000 commercial weight full mortise spring hinge



square corner
4.5" x 4.5" pictured

- **UL Listed**
- template hole pattern
- single acting
- adjustable tension
- three knuckle
- steel base metal
- material gauge = .130" (3.3mm) - 4"
- material gauge = .134" (3.4mm) - 4-1/2"

For automatic closing of door. Standard weight for commercial use.


- packaging** - one per box
- screws and misc parts - see note below

size	available finishes	case qty	case weights
4.0 x 4.0	10BL, US15	50 ea	56 lbs
4.5 x 4.5	10BL, US15	50 ea	63 lbs
	US26D		

to order this item:

- start with the item number (5014)
 - add the size (eg 4.0)
 - add the finish code (eg. 10B oil rubbed bronze)
- complete part # is 5000 4.0 10BL**

5014 commercial weight full mortise spring hinge



1/4" radius corners
4.0" x 4.0" pictured

- **UL Listed**
- template hole pattern
- 1/4" radius on all corners
- single acting
- adjustable tension
- three knuckle
- steel base metal
- material gauge = .130" (3.3mm)

For automatic closing of door. Standard weight for commercial use.

- packaging** - one per box
- screws and misc parts - see note below

size	available finishes	case qty	case weights
4.0 x 4.0	10BL, US15	50 ea	55 lbs
	US26D		

to order this item:

- start with the item number (5014)
 - add the size (eg 4.0)
 - add the finish code (eg. 10B oil rubbed bronze)
- complete part # is 5014 4.0 10BL**

Screws and parts:


- 8 ea. 1" wood screws
- 8 ea. 1/2" machine screws
- 1 ea. hex key
- 2 ea. tension stop pins

Need a size or finish not shown in catalog?

Call 877-747-2888 to special order

v 12.0 2018

5014SS commercial weight full mortise spring hinge



1/4" radius corners

- stainless steel

size	available finishes	case qty	case weights
4.0 x 4.0	US32D	50 ea	63 lbs

to order this item:

- start with the item number (5014SS)
 - add the size (eg 4.0)
 - add the finish code (eg. 32D brushed stainless)
- complete part # is 5014SS 4.0 32D**

- **UL Listed**
- .304 grade stainless steel
- template hole pattern
- 1/4" radius corners
- single acting
- adjustable tension
- three knuckle
- material gauge = .130" (3.4mm)

For automatic closing of door. Standard weight for commercial use.

- packaging** - one per box
- screws and misc parts - see note below

Screws and parts:


- 8 ea. 1 1/4" x #12 wood screws
- 8 ea. 1/2" x #12 machine screws
- 1 ea. hex key
- 2 ea. tension stop pins

Need a size or finish not shown in catalog?

Call 877-747-2888 to special order

v 12.0 2018

3029 double acting spring hinge



- door flange is mortised into edge of door
- jamb flange surface applied to jamb
- steel material
- non template
- non handed
- do not use on doors with hinge edge beveled

packaging

- 5" - packed 2 per box
- 6" - packed 2 per box
- includes all wood screws


size	available finishes	case qty	case weights
5.0"	US10A, US10B	16 ea	48 lbs
	US15, US26D		
	US3, US2G		
	US4		
6.0"	US10A, US10B	12 ea	51 lbs
	US15, US26D		
	US3, US2G		
	US4		

to order this item

- start with the item number (3029)
 - add the size (eg 5)
 - add the finish code (eg. 15 satin nickel)
- complete part # is 3029 5.0 15**

Please see Direct to You note below.

7811 spring pivot adjustable



- steel mechanisms
- steel trim
- ball bearing
- double acting
- hold open at approximately 85-90 degrees
- non adjustable spring tension
- non handed

packaging

- packed 8 sets per box
- includes wood screws

available finishes	case qty	case weights
US10A, US10B	8 ea	32 lbs
US15, US26D		
US3, US2G		
US4		

to order this item

- start with the item number (7811)
 - add the finish code (eg. 3 polished brass)
- complete part # is 7811 3**

Please see Direct to You note below.

DIRECT TO YOU

To help hold down costs and have access to the widest possible selection of hardware, we ship direct from the manufacturer to you. If you don't see what you want, call 1-877-747-2888.

v 12.0 2018

597 tension pins



packaging


· 50 ea. per carton

**Need a size or finish not shown in
catalog?**

Call 877-747-2888 to special order

v 12.0 2018

1000 commercial weight full mortise hinge



square corner
4.5" x 4.5" pictured

- steel base metal
- square on all corners
- five knuckle, template hole pattern
- plain bearing
- non-rising removable pin with button tip and plug
- 3.5" material gauge = .118" (3.0 mm)
- 4.0" material gauge = .130" (3.3 mm)
- 4.5" material gauge = .134" (3.4 mm)

For use on medium weight doors requiring low frequency service.

packaging for 4.5" & 4.0"

- 3 ea. per box
- includes screws - see note below

for 3.5"


- 2 ea. per box
- includes screws - see note below

size	available finishes	case qty	case weight
3.5x 3.5	US1D, US10BL, US15	50 ea	40 lbs
	US26, US26D, PCW		
4.0 x 4.0	US1D, US10BL	48 ea	41 lbs
	US15, US26		
	US26D, PCW		
4.5 x 4.5	US10BL, US26D	48 ea	52 lbs
	PCW		

to order this item:

- start with the item number (1000)
 - add the size (eg 3.5)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is 1000 3.5 15**

1014C commercial weight full mortise hinge



1/4" radius corner
4.0" x 4.0" pictured

- steel base metal
- 1/4" radius on all corners
- five knuckle, template hole pattern
- plain bearing
- non-rising removable pin with button tip and plug
- 3.5" material gauge = .118" (3.0 mm)
- 4.0" material gauge = .130" (3.3 mm)
- 4.5" material gauge = .134" (3.4 mm)

For use on medium weight doors requiring low frequency service.

packaging for 4.5" & 4.0"

- 3 ea. per box
- screws - see note below

for 3.5"

- 2 ea. per box
- screws - see note below

size	available finishes	case qty	case weight
3.5x 3.5	US10BL, US15	50 ea	40 lbs
	US26, US26D		
4.0 x 4.0	US3, US4, US5	48 ea	41 lbs
	US10BL, US15		
	US26, US26D, PCW		

to order this item:

- start with the item number (1014C)
 - add the size (eg 4.0)
 - add the finish code (eg. 26D brushed Chrome)
- complete part # is 1014C 4.0 26D**

Screws:

- for 4.0" hinges - machine screws 1/2" x 12-24 - 24 ea. per box
- wood screws 1 1/4" x #12 - 24 ea. per box
- 3.5" hinges - machine screws 1/2" x 10-24 - 12 ea. per box
- wood screws 1" x #10 - 12 ea. per box


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$1.00/hinge, after discount.

- to order, add NRP suffix to part # (eg. 1000 4.0 26D **NRP**)

v 12.0 2018

BB1000 commercial weight full mortise ball bearing hinge



square corner
3.5" x 3.5" pictured

- steel base metal
- square on all corners
- five knuckle, template hole pattern
- two ball bearings
- non-rising removable pin with button tip and plug
- 3.5" material gauge = .118" (3.0 mm)
- 4.0" material gauge = .130" (3.3 mm)
- 4.5" material gauge = .134" (3.4 mm)
- 5.0" material gauge = .145" (3.4 mm)

For use on medium weight doors or doors requiring medium frequency service.

packaging

- screws - see note below


size	available finishes	case qty	case weight
3.5x 3.5	US3, US10BL, US15	50 ea	40 lbs
	US26, US26D		
4.0 x 4.0	US3, US4, US5	48 ea	42 lbs
	US10BL		
	OWB, US15, US26		
	U26D		
4.5x 4.5	US3, US4, US10BL	48 ea	52 lbs
	OWB, US15, US26		
	US26D		
5.0 x 5.0	US10BL	48 ea	68 lbs
	US15		

to order this item:

- start with the item number (BB1000)
- add the size (eg 3.5)
- add the finish code (eg, 15 for satin nickel)

complete part # is BB1000 3.5 15

BB1014 commercial weight full mortise ball bearing hinge



1/4" radius corner
4.0" x 4.0" pictured

- steel base metal
- 1/4" radius on all corners
- five knuckle, template hole pattern
- two ball bearings
- non-rising removable pin with button tip and plug
- 3.5" material gauge = .118" (3.0 mm)
- 4.0" material gauge = .130" (3.3 mm)
- 4.5" material gauge = .134" (3.4 mm)

For use on medium weight doors or doors requiring medium frequency service.

packaging for 4.5" & 4.0" & 5"

- 3 ea. per box
- screws - see note below

for 3.5"

- 2 ea. per box
- screws - see note below

size	available finishes	case qty	case weight
3.5x 3.5	US10BL	50 ea	40 lbs
	US15		
4.0 x 4.0	US10BL	48 ea	41 lbs
	US15, US26D		
4.5 x 4.5	US10BL, US15	48 ea	52 lbs
	US26D		

to order this item:

- start with the item number (BB1014)
- add the size (eg 4.0)
- add the finish code (eg, 26D brushed chrome)

complete part # is BB1014 4.0 26D

Screws:

for 4.0" & 4.5" & 5.0" hinges - machine screws 1/2" x 12-24 - 24 ea. per box
wood screws 1 1/4" x #12 - 24 ea. per box
3.5" hinges - machine screws 1/2" x 10-24 - 12 ea. per box
wood screws 1" x #10 - 12 ea. per box


Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$1.00/hinge, after discount.

- to order, add NRP suffix to part # (eg. BB1000 4.5 26D NRP)
v 12.0 2018

BB1058

commercial weight full mortise ball bearing hinge



5/8" radius corner
4.0" x 4.0" pictured

- steel base metal
- 5/8" radius on all corners
- five knuckle, template hole pattern
- two ball bearings
- non-rising removable pin with button tip and plug
- 4.0" material gauge = .130" (3.3 mm)
- 4.5" material gauge = .134" (3.4 mm)

For use on medium weight doors or doors requiring medium frequency service.

packaging

- 3 per box
- screws - see note below

size	available finishes	case qty	case weight
4.0 x 4.0	US1D, US10BL	48 ea	41 lbs
	US15, US26D		
4.5 x 4.5	US10BL, US26D	48 ea	52 lbs

to order this item:

- start with the item number (BB1058)
- add the size (eg 4.0)
- add the finish code (eg. 15 for satin nickel)

complete part # is BB1058 4.0 15


Screws:

- for 4.0" & 4.5" hinges - machine screws 1/2" x 12-24 - 24 ea. per box
- wood screws 1 1/4" x #12 - 24 ea. per box
- for 3.5" hinges - machine screws 1/2" x 10-24 - 12 ea. per box
- wood screws 1" x #10 - 12 ea. per box

Non-Removable Pin (NRP):

- NRP charge for items shown on this page is \$1.00/hinge, after discount.
 - to order, add NRP to part # (eg. BB1058 4.5 26D **NRP**)
- v 12.0 2018

3000 commercial weight full mortise hinge



square corner
3.5" x 3.5" pictured

- .304 grade stainless steel
- square corner on all corners
- five knuckle, template hole pattern
- non-rising removable pin with button tip and plug
- 4.0" material gauge = .130" (3.3 mm)
- 4.5" material gauge = .134" (3.4 mm)

For use on medium weight doors requiring low frequency service.

size	available finishes	case qty	case weight
4.0 x 4.0	US10BL	50 ea	43 lbs
	US32D		
4.5 x 4.5	US10BL	48 ea	54 lbs
	US32D		

to order this item:

- start with the item number (3000)
- add the size (eg 4.0)
- add the finish code (eg. 32D brushed stainless)

complete part # is 3000 4.0 32D


packaging for 4.5"

- 2 ea. per box
- screws - see note below

for 4.0"

- 2 ea. per box
- screws - see note below

BB3000 commercial weight full mortise ball bearing hinge



square corner
4.0" x 4.0" pictured

- .304 grade stainless steel
- square corner on all corners
- five knuckle, template hole pattern
- two ball bearings
- non-rising removable pin with button tip and plug
- 3.5" material gauge = .118" (3.0 mm)
- 4.0" material gauge = .130" (3.3 mm)
- 4.5" material gauge = .134" (3.4 mm)

For use on medium weight doors or doors requiring medium frequency service.

size	available finishes	case qty	case weight
4.0 x 4.0	US10BL	50 ea	43 lbs
	US32D		
4.5 x 4.5	US10BL	48 ea	54 lbs
	US32D		

to order this item:

- start with the item number (BB3000)
- add the size (eg 4.0)
- add the finish code (eg. 32D brushed stainless)

complete part # is BB3000 4.0 32D

packaging for 4.5"

- 2 ea. per box
- screws - see note below

for 4.0"

- 2 ea. per box
- screws - see note below

Screws:

for 4.0" & 4.5" hinges - machine screws 1/2" x 12-24 - 24 ea. per box
 wood screws 1 1/4" x #12 - 24 ea. per box
 for 3.5" hinges - machine screws 1/2" x 10-24 - 12 ea. per box
 wood screws 1" x #10 - 12 ea. per box

Non-Removable Pin (NRP):

NRP charge for items shown on this page is \$1.00/hinge, after discount.
 · to order, add NRP to part # (eg. BB1058 4.0 26D **NRP**)
 v 12.0 2018

640 flush bolt 6" round



- brass faceplate
- round faceplate
- double action spring design provides secure holding in either projected or retracted position
- 15/16" x 2" square corner strike plate included

packaging:

- includes screws for both bolts and strikes

size	available finishes	case qty
6"	US3	25 ea
	US10B	
	US15	
	US26D	

to order this item

- start with the item number (640)
- add the finish code (eg. 15 for satin nickel)

complete part # is 640 15

642 flush bolt 6" square



- brass faceplate
- square faceplate
- double action spring design provides secure holding in either projected or retracted position
- 15/16" x 2" square corner strike plate included

either projected or retracted position

- 15/16" x 2" square corner strike plate included

packaging:

- includes screws for both bolts and strikes

size	available finishes	case qty
6"	US10B	25 ea
	US15	

to order this item

- start with the item number (642)
- add the finish code (eg. 15 for satin nickel)

complete part # is 642 15

643 flush bolt 12" square



- solid brass
- secure holding in either projected or retracted position
- simple installation in metal frames
- 1" x 6 1/4" face plate
- includes 15/16" x 2 1/4" square corner strike, guide, and 12" extension rod

packaging:

- includes screws for both bolts and strikes.

size	available finishes	case qty
12"	US10B	2 per box
	US15	
	US26D	

to order this item

- start with the item number (643)
- add the finish code (eg. 26D for brushed chrome)

complete part # is 643 26D

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it for you.

648 flush bolt extension rod



- extends reach of 643 flush bolt
- steel base metal

packaging

- bulk - specify quantity desired

size	available finishes	case qty
24"	nickel plated	packaged each
36"	nickel plated	packaged each

to order this item


- start with the item number (648)
- add length 24"

complete part # is 648-24

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it for you.

v 12.0 2018

633 ball catch - bullet style



- adjustable 7/8" bullet style catch
- includes 2-1/4" full lip round corner strike

packaging

- includes screws


available finishes	case qty
US1D	50 ea
US3	
US10B	
US15	
US26D	

to order this item

- start with the item number (633)
- add the finish code (eg. 15 for satin nickel)

complete part # is 633 15

634 roller catch



- light duty solid brass roller catch
- 7/8" x 2-1/4" face plate
- includes 2-1/4" square full lip strike

packaging

- includes screws


available finishes	case qty
US10B	
US15	

to order this item

- start with the item number (634)
- add the finish code (eg. 3 polished brass)

complete part # is 634 3

636 ball catch - mortise style



- mortise style ball catch
- 1" x 2-1/4" radius corner face plate
- includes 2-1/4" radius corner full lip strike

packaging

- includes screws

available finishes	case qty
US3	25 ea
US10B	
US15	
US26D	

to order this item


- start with the item number (636)
- add the finish code (eg. 3 polished brass)

complete part # is 636 3

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it for you.

v12.0 2018

639 ball catch strike plate



- 2-1/4" full lip radius corner strike plate

available finishes	case qty
US10B	100 each
US15	

to order this item

- start with the item number (639)
- add the finish code (eg. 15 for satin nickel)

complete part # is 639 15

packaging

- includes screws

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it you for.

v12.0 2018

604 spring stop 3 1/8"



- flexible spring door stop with screw and metal base

size	available finishes	case qty
3-1/8"	US10B	100 ea
	US15	

to order this item

- start with the item number (604)
- add the finish code (eg. 15 for satin nickel)

complete part # is 604 15

607 spring stop 3 3/4"



- large flexible spring door stop with screw and metal base


size	available finishes	case qty
3-3/4"	US10B	100 ea
	US15	

to order this item

- start with the item number (607)
- add the finish code (eg. 15 for satin nickel)

complete part # is 607 15

616 hinge pin stop



- hinge pin door stop with nylon bushing

available finishes	case qty
US10B	100 ea
US15	

to order this item


- start with the item number (616)
- add the finish code (eg. 15 for satin nickel)

complete part # is 616 15

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it you for.

v 12.0 2018

618 Door Saver



- easy to install
- unique design stops the door without touching it

available finishes	case qty
US10B	50 ea
US15	

to order this item


- start with the item number (618)
- add the finish code (eg. 10B oil rubbed bronze)

complete part # is 618 10B

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it you for.

v 12.0 2018

690 door viewer 180°



- 180° field of view
- for a 1/2" bore - it accomodates 1-3/8" & 1-3/4" door


available finish	case qty
US26D	25 ea

to order this item

- start with the item number (690)
- add the finish code (eg. 26D brushed chrome)

complete part # is 690 26D

720 handrail bracket



- includes rail clamp and screws


available finishes	case qty
US1D	25 ea
US10B	
US15	

to order this item

- start with the item number (720)
- add the finish code (eg. 15 for satin nickel)

complete part # is 720 15

722 handrail bracket - heavy duty



- includes rail clamp and screws

available finishes	case qty
US10B	50 ea
US15	

to order this item

- start with the item number (722)
- add the finish code (eg. 10B oil rubbed bronze)

complete part # is 722 10B

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it you for.

v 12.0 2018

738 plastic pole socket




- 1 3/8" plastic closet pole socket
- set of two

packaging:

- includes screws

finish available	case qty
plastic	50 sets
to order this item complete part # is 738	

740 shelf and rod support - fixed




- fixed closet shelf and rod support

packaging:

- includes screws

finish available	case qty
prime coat white	20 ea
to order this item	
· start with the item number (740)	
· add the finish code (eg. PCW prime coat)	
complete part # is 740 PCW	

742 shelf and rod support - adjustable



- adjustable closet shelf and rod support

packaging:


- includes screws

finish available	case qty
prime coat white	20 ea
to order this item	
· start with the item number (742)	
· add the finish code (eg. PCW prime coat)	
complete part # is 742 PCW	

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it you for.

v 12.0 2018

671 finger pull



- 2-1/8" diameter
- snap-in style - no brads required


size	finish avail- able	case qty
2-1/8"	US10B	50 ea
	US15	
	US26D	

to order this item

- start with the item number (671)
- add the finish code (eg. 15 for satin nickel)

complete part # is 671 15

BP60 00 bypass kit



- two door complete package
- includes track, single wheel hangers, floor guide, and 3/4" finger pulls
- for 3/4" and 1 3/8" doors
- for panel doors up to 60 lbs

packaging:

- packed 1 kit per box
- 6 boxes per case

size	case qty
48"	6 kits per case
60"	6 kits per case
72"	6 kits per case
96"	6 kits per case


to order this item

- start with the item number (BP60 00)
- add the size (eg 48")

complete part # is BP60 00 48

Must order in quantities of 6.
Please see Direct to You note below.

BP75 01 double track



- track only
- steel track with galvanized finish
- for sliding doors up to 75 lbs

size	case qty
48"	10 ea
60"	10 ea
72"	10 ea
96"	10 ea
120"	10 ea

to order this item

- start with the item number (BP75 01)
- add the size (eg 48")

complete part # is BP75 01 48


Must order in quantities of 10.
Please see Direct to You note below.

DIRECT TO YOU

To help hold down costs and have access to the widest possible selection of bypass hardware, we ship direct from the manufacturer to you. If you don't see what you want, call 1-877-747-2888.

v 12.0 2018

BP150 72 floor guide



- plastic base material
- for 1 3/8" doors
- use with sliding door to guide panels at floor level

packaging:


- packed 100 per box

finish available	case qty
plastic	100 ea

to order this item
 · start with the item number (BP150 72)
complete part # is BP150 72

Must order in quantities of 100.
Please see Direct to You note below.

BPC60 00 bypass contractor set



- for 60 lb. panels
- for 1 3/8" thick doors only
- Set includes: track, hangers, floor guide and finger pulls

packaging:

- packed 10 sets per box

size	case qty
48"	10 ea
60"	10 ea
72"	10 ea
96"	10 ea

to order this item
 · start with the item number (BP60 00)
 · add the size (eg 48")
complete part # is BPC60 00 48

Must order in quantities of 10.
Please see Direct to You note below.

DIRECT TO YOU

To help hold down costs and have access to the widest possible selection of bypass hardware, we ship direct from the manufacturer to you. If you don't see what you want, call 1-877-747-2888.

v 12.0 2018

BFC125N 00 contractor bifold set

- complete contractor set for four doors
- for 1 1/8" to 1 3/4" doors
- for multi panels weighing up to 75 lbs. each
- kit includes track, snugger, pivot set, hanger, hinges, and wrench
- aluminum track

(note: 48" part number is - BFC125N 04 48)

size	case qty
60"	1 set per box
72"	1 set per box

to order this item

- start with the item number (BFC125N 00)
- add the size (eg 60")

complete part # is BFC125N 00 60

Please see Direct to You note below.

BF30 bag set

- two door bifold hardware
- bagset includes slide guide, top pivot, bottom pivot, plastic white knob, track joiner, aligner and jamb bracket

case qty
1 bagset per polybag

to order this item

complete part # is BF30

Must order in quantities of 100.
Please see Direct to You note below.

DIRECT TO YOU

To help hold down costs and have access to the widest possible selection of bypass hardware, we ship direct from the manufacturer to you. If you don't see what you want, call 1-877-747-2888.

v 12.0 2018

WS 3/4 x 9 wood screw - with "fly cut" threads



- steel base metal
- 3/4" length
- #9 size
- "fly cut" threads increase cutting power

Designed for use with our residential weight hinges.

size	available finishes	case qty
3/4" x 9	US1D, US2D	1000 ea
	US3, US3-4	
	US4, US10BL	
	OWB, US15	
	US26, US26D	
	PCW	

to order this item:

- start with the item number (WS 3/4x9)
- add the finish code (eg. 15 for satin nickel)

complete part # is WS 3/4x9 15

WSN 3/4 x 9 wood screw



- steel base metal
- 3/4" length
- #9 size
- standard spiral threads

Designed for use with our residential weight hinges.

size	available finishes	case qty
3/4" x 9	US10BL	1000 ea
	OWB	
	US15	
	US26D	

to order this item:

- start with the item number (WSN 3/4x9)
- add the finish code (eg. 26D brushed chrome)

complete part # is WSN 3/4x9 26D

WSTG 3/4 x 9 wood screw - with True Grip threads



- steel base metal
- 3/4" length
- #9 size
- True Grip coarse thread style

Designed for use with our residential weight hinges when mounting on MDF frames as well as on re-entry and remodeled frames and doors.

size	available finishes	case qty
3/4" x 9	US10BL, US15	1000 ea

to order this item:

- start with the item number (WSTG 3/4x9)
- add the finish code (eg. 15 for satin nickel)

complete part # is WSTG 3/4x9 15

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it for you.

v 12.0 2018

WS 3/4 x 12 wood screw



- steel base metal
- 3/4" length
- #12 size
- standard spiral threads

Designed for use with our commercial 4" & 4.5" weight hinges.

size	available finishes	case qty
3/4" x 12	US10BL	1000 ea
	OWB	
	US15	
	US26D	

to order this item:
 · start with the item number (WS 3/4x12)
 · add the finish code (eg. 15 for satin nickel)
complete part # is WS 3/4x12 15

WS 1 x 9 wood screw - with "fly cut" threads



- steel base metal
- 1" length
- #9 size
- "fly cut" threads increase cutting power

Designed for use with our residential weight hinges.

size	available finishes	case qty
1" x 9	US4	1000 ea
	US10BL	
	OWB	
	US15	
	US26	

to order this item:
 · start with the item number (WS 1x9)
 · add the finish code (eg. 4 satin brass)
complete part # is WS 1x9 4

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it you for.

v 12.0 2018

WS 1-1/4 x 12 wood screw



- steel base metal
- 1 1/4" length
- #12 size
- standard spiral threads

Designed for use with our commercial 4" & 4.5" weight hinges

size	available finishes	case qty
1-1/4" x 12	US10BL	1000 ea
	US15	

to order this item:

- start with the item number (WS 1-1/4x12)
 - add the finish code (eg. 15 satin nickel)
- complete part # is WS 1-1/4x12 15**

WS 2-3/4 x 9 wood screw



- steel base metal
- 2-3/4" length
- #9 size
- standard spiral threads

Designed for use with our residential weight hinges.

size	available finishes	case qty
2-3/4" x 9	US10BL	1000 ea
	US15	
	US26D	

to order this item:

- start with the item number (WSS 2-3/4x9)
 - add the finish code (eg. 10BL oil rubbed bronze)
- complete part # is WS 2-3/4x9 10BL**

MS 1/2 x 10-24 machine screw



- steel base metal
- 1/2" length
- #10-24 size
- 24 threads/inch

Designed for use with our 3.5" commercial weight hinges.

size	available finishes	case qty
1/2" x 10-24	US3-4	1000 ea
	US10BL	
	OWB	
	US15	
	US26D	
	PCW	

to order this item:

- start with the item number (MS1/2x10-24)
 - add the finish code (eg. 15 for satin nickel)
- complete part # is MS 1/2x10-24 15**

Don't see what you are looking for here in our catalog? Call our customer service department. We have access to thousands of door hardware items from a variety of top manufacturers. Even if we don't stock it, we can find it you for.